COATINGS USAGE LOG SAN DIEGO AIR POLLUTION CONTROL DISTRICT RULE 67.11 – WOOD PRODUCTS COATING OPERATIONS (INCLUDES ALL COATINGS, COATING COMPONENTS)

| Date | Manufacturer & Manufacturer ID | VOC Content (of material) | VOC Content (Less water & Exempt Compounds) | Mix Ratio | Coating Category Per 67.11(d)(2)(3) | Amount Applied |
|------|--------------------------------|------------------------------|------------------------------------------------------|-----------|----------------------------------------|----------------|
| | Coating: | | | | | |
| | Catalyst: | | | | | |
| | Reducer: | | | | | |
| | Other: | | | | | |
| | Coating: | | | | | |
| | Catalyst: | | | | | |
| | Reducer: | | | | | |
| | Other: | | | | | |
| | Coating: | | | | | |
| | Catalyst: | | | | | |
| | Reducer: | | | | | |
| | Other: | | | | | |
| | Coating: | | | | | |
| | Catalyst: | | | | | |
| | Reducer: | | | | | |
| | Other: | | | | 1 | |

RULE 67.11 WOOD PRODUCTS COATING OPERATIONS- GUIDELINES FOR COMPLETING FORM

Column 1: Enter the date.

Column 2: Enter the manufacturer's name and identification for each coating, coating component used.

Column 3: Enter the Volatile Organic Compound (VOC) content of the material for each coating and coating component used.

Example: 2.3 lbs/gal (pounds per gallon) or 275 g/l (grams per liter)

Column 4: Enter the Volatile Organic Compound (VOC) content less water and exempt compounds for each coating and coating component used.

Example: 3.5 lbs/gal (pounds per gallon) or 420 g/l (grams per liter)

Column 5: Enter the mix ratio for each coating component.

Column 6: Enter the coating category from Rule 67.11(d)(2)(3). Example- Clear Topcoat or Conversion Varnish

Column 7: Enter the amount of the coating (including all coating components) applied.