



San Diego County  
**Air Pollution  
Control District**

**NOTICE OF HEALTH RISK REDUCTION PLAN SUBMITTED BY  
ENCINA WASTEWATER AUTHORITY**

The San Diego County Air Pollution Control District (District) has received a proposed health risk reduction plan under application APCD2024-RRP-990007 from Encina Wastewater Authority, a wastewater treatment facility located at 6200 Avenida Encinas, Carlsbad, CA 92011.

In accordance with District Rule 1210, Encina Wastewater Authority was required to submit a health risk reduction plan to propose how it intends to reduce the health risk associated with the facility's 2021 air toxic emissions.

The facility's proposed Health Risk Reduction Plan is available for public review and comments under the following link: <https://bit.ly/Encinajpa-2021-RRP>. Written comments may be submitted for a period of 30 days, ending on July 31, 2024, via email at [APCDEngineering@sdapcd.org](mailto:APCDEngineering@sdapcd.org) or by mail to 10124 Old Grove Road, San Diego, California, 92131. Please direct your comments to the attention of the Engineering Division.

Should you have any questions regarding this notice or wish to make an appointment to review documents related to this proposed health risk reduction plan at the District office, please contact the Engineering Division at [APCDEngineering@sdapcd.org](mailto:APCDEngineering@sdapcd.org) or at (858) 586-2600.

Published: July 1, 2024

JS/mg