San Diego County Air Pollution Control District

10124 Old Grove Rd San Diego, CA 92131-1649 (858) 586-2600

TITLE V OPERATING PERMIT

APCD2016-TVP-00043

Issued To:

Goal Line L.P. Site ID # APCD1992-SITE-08447

Site Address:

555 North Tulip Street Escondido, CA, 92025 (619) 344-0538

Mailing Address

555 North Tulip Street Escondido, CA, 92025

Responsible Official – Jason King, Plant Manager Facility Contact – Jason King, Plant Manager

Issued by the San Diego County Air Pollution Co	ontrol District on <u>TBD</u> .	
This Title V Operating Permit expires on	TBD	
Mohsen Nazemi, Chief of Engineering	Date	

TABLE OF CONTENTS

	PAGE
PREAMBLE	2
SECTION I. REGULATION XIV PERMIT REQUIREMENTS	3
A. ADMINISTRATIVE PERMIT TERMS	3
B. RENEWAL REQUIREMENTS AND TERMS	3
C. MONITORING, RECORDKEEPING & REPORTING REQUIREMENTS	4
D. GENERAL PERMIT REQUIREMENTS	5
SECTION II. FACILITY-WIDE REQUIREMENTS	6
A. GENERAL PERMIT PROGRAM APPLICABLE REQUIREMENTS	6
B. GENERAL PROHIBITORY APPLICABLE REQUIREMENTS	6
C. PERMIT SHIELDS	7
D. ACID RAIN	8
E. ADDITIONAL TERMS	8
SECTION III. EMISSION UNIT REQUIREMENTS	8
A. DISTRICT PERMITTED EMISSION UNITS	8
B. REGISTERED AND LEASED EMISSION UNITS	9
C. INSIGNIFICANT EMISSION UNITS AND ACTIVITIES	9
SECTION IV. VARIANCE PROCEDURES	9
SECTION V. APPENDICES	A-1
A. DISTRICT PERMITS AND REGISTERED UNITS	A-1
B. RULE REFERENCE TABLE	B-1
C ABBREVIATIONS	C-1

PREAMBLE

This Title V Operating Permit consists of this document and all appendices, including District permits incorporated by reference. The facility is subject to all applicable requirements identified within this permit, unless a specific permit shield is specified within this permit. If an applicable requirement is omitted from this permit, the facility is still obligated to comply with such an applicable requirement. The permittee must comply with all of the terms listed in each section of this permit.

This permit contains five major sections: Section I contains the Regulation XIV requirements required to carry out the Title V Operating Permit program. Section II contains the requirements that are applicable to the facility on a facility-wide basis. Section III contains the requirements that are applicable to individual emission units which have been issued District permits or District registration, or which have been determined to be insignificant emission units. Section IV contains terms and requirements pertaining to variance procedures and compliance schedules, if applicable to the facility. Section V contains three appendices. Appendix A contains all the District permits incorporated within this permit. Appendix B contains a table of all SIP approved and District approved rules. Appendix C contains a list of abbreviations used within this permit.

Copies of the Rules and Regulations of the Air Pollution Control District of San Diego County and the Rules and Regulations for San Diego County contained in the State Implementation Plan (SIP) approved by EPA may be obtained at the District. Copies are also available for review at the following locations:

SD Air Pollution Control District 10124 Old Grove Rd San Diego, CA 92131-1649 (858) 586-2600

The current Rules and Regulations of the Air Pollution Control District of San Diego County may also be viewed and downloaded using the following internet address:

https://www.sdapcd.org/content/sdapcd/rules.html

The following addresses should be used to submit any certifications, reports or other information required by this permit:

SD Air Pollution Control District

Compliance Division

ECAD Attn: ENF 2-1

10124 Old Grove Rd

75 Hawthorne Street

San Diego, CA 92131-1649

San Francisco, CA 94105

SECTION I. REGULATION XIV PERMIT REQUIREMENTS

A. ADMINISTRATIVE PERMIT TERMS

- 1. This Title V Operating Permit expires 5 years from date of issuance. [Rule 1410]
- 2. Commencing or continuing operation under this permit to operate shall be deemed acceptance of all terms and conditions specified within this permit. This does not limit the right of the applicant to seek judicial review or seek federal EPA review of a permit term or condition. [Rule 1421]
- 3. This permit may be modified, revoked, reopened and reissued, or terminated by the District for cause. [Rule 1421]
- 4. The filing of a request by the facility for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay the applicability of any permit condition. [Rule 1421]
- 5. This permit does not convey any property rights of any sort, or any exclusive privilege. [Rule 1421]
- 6. The need for the permittee to halt or reduce a permitted activity in order to maintain compliance with any term or condition of this permit shall not be a defense for any enforcement action brought as a result of a violation of any such term or condition. [Rule 1421]
- 7. In the event of challenge to any portion of this permit, the rest of the permit remains valid. [Rule 1421]
- 8. For the purpose of submitting compliance certifications or establishing whether or not a person has violated or is in violation of any applicable requirement in this permit, nothing in this permit shall preclude the use, including the exclusive use, of any credible evidence or information, relevant to whether a source would have been in compliance with applicable requirements if the appropriate performance or compliance test or procedure had been performed. [Rule 1421]

B. RENEWAL REQUIREMENTS AND TERMS

- 1. The permittee shall submit a complete application for renewal of this permit to the Air Pollution Control Officer at least 12 months, but not more than 18 months, prior to permit expiration. [Rule 1410]
- 2. If an administratively complete application for renewal of this permit has been submitted to the Air Pollution Control Officer within the timeframe specified in Section I.B.1., the terms and conditions of this permit shall remain in effect and the source may continue operations under these terms and conditions until the Air Pollution Control Officer issues or denies the permit renewal. [Rule 1410]

C. MONITORING, RECORDKEEPING & REPORTING REQUIREMENTS

- 1. The permittee shall provide the District access to the facility and all equipment subject to this permit, and access to all required records pursuant to California Health and Safety Code Section 41510. [Rule 1421]
- 2. The permittee shall maintain all records required by this permit including any calibration, maintenance, and other supporting information and copies of all reports required by this permit for at least five (5) years from their date of creation. Such records shall be maintained on-site for a minimum of three years. This requirement controls and supersedes any other record retention requirement under this permit as it pertains to, and is required by, District Rule 1421 and Title V of the Clean Air Act. [Rule 1421
- 3. Records required by this permit shall be considered as being maintained "on-site" if records for the previous 12-month period are available at the stationary source and any additional records are maintained at a location to be specified by the source and made readily available to the District upon request. [Rule 21]
- 4. The permittee shall submit monitoring and recordkeeping summary reports and all other monitoring and recordkeeping reports required by this permit to the District every six months, unless a shorter time frame is required by a specific permit condition contained in Section III of this permit. Unless other dates are specified in Section III, reports for data required to be collected from January 1 through June 30, shall be submitted no later than September 1 of the calendar year, and reports for data required to be collected from July 1 through December 31, shall be submitted no later than March 1 of the following calendar year. The report for the final six months of the year may be consolidated with the annual compliance certification required below. All instances of noncompliance from federally enforceable applicable requirements shall be clearly identified in these reports. (Timely completion of District Certification Reports Form 1401-J1 and Form 1401-J2, if applicable, and all indicated attachments, fulfills the requirements of this condition.) [Rule 1421]
- 5. Each calendar year, the permittee shall submit to the District and to the federal EPA an annual compliance certification, in a manner and form approved in writing by the District, for the previous calendar year that includes the identification of each applicable term or condition of the final permit for which the compliance status is being certified, the compliance status and whether the facility was in continuous or intermittent compliance during the previous calendar year, identification of the method used to determine compliance during the previous calendar year, and any other information required by the District to determine the compliance status. The annual compliance certification for a calendar year shall be submitted no later than March 1 of the following calendar year and may be consolidated with the monitoring and recordkeeping report for the last six months of the year for which compliance is certified. (Timely completion of District Certification Reports Form 1401-J1 and Form 1401-J2, if applicable, and all indicated attachments, fulfills the requirements of this condition.) [Rule 1421]

- 6. Any report submitted to the District or federal EPA pursuant to this permit to comply with a federally enforceable applicable requirement, shall be certified by a responsible official stating that, based on information and belief formed after reasonable inquiry, the report is true, accurate and complete. [Rule 1421]
- 7. The permittee shall make any trade secret designations of records, documents, or other information submitted to the District or federal EPA in accordance with District Rule 176. [Rule 176]
- 8. The permittee shall report all deviations from any and all federally enforceable permit terms and conditions including: (a) breakdowns, whether or not they result in excess emissions, (b) deviations that result in excess emissions of any regulated air pollutant, and (c) deviations from monitoring, recordkeeping, reporting and other administrative requirements that do not result in excess emissions. For deviations that result from breakdowns under District Rule 98, the permittee shall report the breakdown within two hours of detection of the breakdown and provide a follow-up written report after corrective actions have been taken. For deviations not due to a breakdown but which result in excess emissions, the permittee shall report the deviation within ten calendar days of detection. For all other deviations where no specific time frame for reporting a deviation applies, the permittee shall report the deviation at the time of the next semiannual monitoring summary or annual compliance certification, whichever occurs first. If an underlying applicable requirement contains a definition of prompt or otherwise specifies a time frame for reporting deviations, then the criteria for the applicable requirement shall apply. The report must include the probable cause of such deviations and any corrective actions or preventive measures taken. [Rule 1421]

D. GENERAL PERMIT REQUIREMENTS

- 1. The permittee shall comply with all terms and conditions of this permit. This permit consists of this document and Appendices A, B and C. Any noncompliance with the federally applicable terms and conditions of this permit shall constitute a violation of the federal Clean Air Act. Noncompliance with any federally applicable permit term or condition of this permit is grounds for federal enforcement action or enforcement action by the District; for permit termination, revocation and reissuance, or modification; or for denial of a permit renewal application. Noncompliance with any District permit term or condition is grounds for enforcement action by the District. [Rule 1421]
- 2. Upon a written request by the District, the permittee shall furnish to the District any information needed to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit; any information required to determine compliance with this permit; or any records required to be maintained pursuant to this permit. Such information shall be provided within a reasonable time, as specified within the District's written request. [Rule 1421]
- 3. The permittee shall pay annual fees in accordance with District Rule 40. [Rule 1421]

- 4. The permittee shall provide access, facilities, utilities and any necessary safety equipment for source testing and inspection upon request from the District. [Rule 19]
- 5. This permit shall be maintained on-site at all times and be made available to the District upon request. [Rule 1410]
- 6. The Rule Reference Table provided in Appendix B shall be used to determine whether a cited rule is a federally and District enforceable requirement or a District only enforceable requirement. Any new or revised District rule shall not be considered federally enforceable until the rule is approved by EPA into the SIP. In cases where SIP approval is pending for a revised District rule, the rule citation shall refer to both the current SIP approved rule and the revised District rule. [Rule 1421]

SECTION II. FACILITY-WIDE REQUIREMENTS

A. GENERAL PERMIT PROGRAM APPLICABLE REQUIREMENTS

The permittee shall comply with the applicable requirements specified in the Rules and Regulations cited below, unless specifically exempted by the same Rule or Regulation.

Regulation	Rule	Title	
SDCAPCD Reg. II	10	Authority to Construct Required	
SDCAPCD Reg. II	19	Provision of Sampling & Testing Facilities	
SDCAPCD Reg. II	19.3	Emission Information	
SDCAPCD Reg. II	20 20.1,20.2,20.3	New Source Review (NSR)	
SDCAPCD Reg. II	21	Permit Conditions	
SDCAPCD Reg. II	24	Temporary Permit to Operate	
SDCAPCD Reg. II	25	Appeals	
SDCAPCD Reg. IV	60	Circumvention	
SDCAPCD Reg. IV	71	Abrasive Blasting	
SDCAPCD Reg. V	98	Breakdown Conditions: Emergency Variance	
SDCAPCD Reg. VI	101	Burning Control	
SDCAPCD Reg. VIII	131	Stationary Source Curtailment Plan	
40 CFR Part 68	Part 68	Risk Management Plan (Ammonia Storage)	
40 CFR Part 82	Subpart B	Servicing of Motor Vehicle Air Conditioners	
40 CFR Part 82	Subpart F	Recycling and Emission Reducing	
40 CFR Part 89	Part 89	VOC Standards for Consumer Products	

B. GENERAL PROHIBITORY REQUIREMENTS

The permittee shall comply with the generally applicable requirements specified in the Rules and Regulations cited below, unless specifically exempted by the same Rule or Regulation. These generally applicable requirements apply on a facility-wide basis to all permitted equipment, registered equipment, and insignificant activities. In cases where a requirement, in addition to being generally applicable, is also specifically applicable to one

or more permitted emission units, the requirement is also included in Section III.A. of this permit.

Regulation	Rule Citation	Regulation
SDCAPCD Reg. II	19.2	Continuous Emission Monitoring Systems
SDCAPCD Reg. IV	50	Visible Emissions
SDCAPCD Reg. IV	51	Nuisance
SDCAPCD Reg. IV	52	Particulate Matter
SDCAPCD Reg. IV	53	Specific Contaminants
SDCAPCD Reg. IV	62	Sulfur Content of Fuels
SDCAPCD Reg. IV	67.0.1	Architectural Coatings
SDCAPCD Reg. IV	67.17	Storage of Organic Materials Containing VOC
SDCAPCD Reg. XII	1200	Toxic Air Contaminants – New Source Review
SDCAPCD Reg. XII	1206*	Asbestos Removal, Renovation, and Demolition
40 CFR Part 60	Subpart A	NSPS General Provisions
40 CFR Part 63	Subpart A	NESHAP General Provisions
40 CFR Part 61	Subpart M*	NESHAP - Asbestos
40 CFR Part 73	Part 73	Sulfur Dioxide Allowance System
40 CFR Part 74	Part 74	Acid Rain

^{*} The District issued its own Asbestos Rule 1206 intended to be as stringent as Subpart M. The facility is subject to the most stringent requirements of either rule, which at the time of this report is ensured by compliance with Rule 1206.

C. PERMIT SHIELDS

1. The permittee is shielded from enforcement action for the following requirements as part of this permit in accordance with the provisions of District Rule 1410(p). For those shielded requirements that are subsumed by more stringent requirements, the permittee must comply with the more stringent requirement as given in this permit. For any shielded requirement that is based on a regulatory exemption, the requirement shall only be shielded to the extent of the exemption.

Requirement & Reference	Basis of Shield
SDCAPCD Rule 69.3.1(d)(1),	Subsumed by BACT NOx emission limit based on
69.3(d)(1)	Rule 20.2.
40 CFR 60.333	Subsumed by permit condition requiring low-sulfur
	natural gas based on utility tariff certification and
	Rule 62

Nothing in this permit shield, or any other provisions under this permit pursuant to District Rule 1410(p), shall alter or affect the following:

- 1. The provisions of Section 303 of the federal Clean Air Act including the authority of the Administrator under that section,
- 2. The liability of a source for any violation of applicable requirements prior to or at the time of permit issuance,
- 3. The applicable requirements of the acid rain program consistent with Section 408 (a) of the federal Clean Air Act, and
- 4. The ability of EPA to obtain information from a source pursuant to Section 114 of the federal Clean Air Act.

D. TITLE IV (ACID RAIN) PERMIT REQUIREMENTS

- 1. The permittee shall not exceed any emission allowances that are lawfully held under Title IV of the federal Clean Air Act or the regulations promulgated thereunder. [1421]
- 2. The permittee shall install, operate, and maintain equipment for the continuous monitoring of CO2 and NOx on the turbine stack in accordance with 40 CFR Parts 72 and 75. [40 CFR Parts 72 and 75]
- 3. The permittee shall prepare and maintain onsite a written Quality Assurance program in accordance with 40 CFR Part 75, Appendix B, for the continuous monitoring of NOx emissions from the turbine stack. The components of the Quality Assurance program include, but are not limited to, procedures for daily calibration testing, quarterly linearity testing, record keeping and reporting implementation, and relative accuracy testing. [40 CFR Parts 72 and 75]
- 4. The permit holder shall monitor SO2 emissions in accordance with 40 CFR Part 72 and 75. [40 CFR Parts 72 and 75]
- 5. The permit holder shall submit quarterly Electronic Data Reports (EDRs) to EPA for the emissions from the turbine stack in accordance with 40 CFR Part 75. These reports must be submitted within 30 days following the end of each calendar quarter and shall include all information required in § 75.64. (40 CFR Part 75)

E. ADDITIONAL TERMS

- 1. Any emission unit described in this Title V operating permit as being fired on natural gas, shall only use Public Utility Commission (PUC)-quality natural gas, unless the emission unit permit specifies otherwise. Permittee shall provide records of the natural gas sulfur content to the District upon request. [Rule(s) 53, 62]
- 2. Records required by this permit shall be considered as being maintained "on-site" if records for the previous 12-month period are available at the stationary source. [Rule 21]
- 3. The permittee shall file quarterly emission reports in accordance with Rule 19.2. [Rule 19.2]

SECTION III. EMISSION UNIT REQUIREMENTS

A. EMISSION UNITS

The District Permits listed below and attached in Appendix A, including all terms and conditions of such permits, constitute the emission unit portion of this Title V Operating Permit.

Permit Number	Source Category	
APCD2001-PTO-911504	Turbine – Electric and Steam Generation	

B. REGISTERED AND LEASED EMISSION UNITS

The permittee shall comply with the source specific applicable requirements specified in the Rules and Regulations cited below for all registered emission units, unless specifically exempted by the same Rule or Regulations.

Regulation	Rule Citation	Title
SDCAPCD Reg. IV	62	Sulfur Content of Fuels
SDCAPCD Reg. IV	69.4.1	Stationary Reciprocating Internal Combustion Engines
SDCAPCD Reg. IV	71	Abrasive Blasting

C. INSIGNIFICANT EMISSION UNITS AND ACTIVITIES

The permittee shall comply with the source specific applicable requirements specified in the Rules and Regulations for all emission units not required to obtain a District Permit to Operate pursuant to Rule 11, unless specifically exempted by the same Rule or Regulations. These include, but may not be limited to, the following:

Regulation	Rule Citation	Title
SDCAPCD Reg. IV	62	Sulfur Content of Fuels
SDCAPCD Reg. IV	66.1	Organic Solvents
SDCAPCD Reg. IV	71	Abrasive Blasting

SECTION IV. DISTRICT-ONLY PROVISIONS

VARIANCE PROCEDURES

The permittee may seek relief from District enforcement action from <u>District-only</u> <u>provisions</u> in the event of a breakdown in accordance with District Rule 98. Notwithstanding the foregoing, the granting by the District of breakdown relief or the issuance by the Hearing Board of a variance does not provide relief from federal enforcement or citizen's suits. [Rule 98]

SECTION V. APPENDICES

APPENDIX A: DISTRICT PERMITS

Permit Number	Source Category
APCD2001-PTO-911504	Turbine – Electric and Steam Generation



PHONE (858) 586-2600 Fax (858) 586-2601 www.sdapcd.org

Sectors: 2, D

Site ID: APCD1992-SITE-08447 **App ID:** APCD2016-APP-004396

PERMIT ID
APCD2001-PTO-911504

Goal Line LP Plant Manager 555 North Tulip St Escondido CA, 92025 **EQUIPMENT ADDRESS**

Goal Line LP Plant Manager 555 North Tulip St Escondido CA 92025

PERMIT TO OPERATE

This permit is not valid until required fees are received by the District.

The above is hereby granted a Permit To Operate the article, machine, equipment or contrivance described below. This permit is not transferable to a new owner nor is it valid for operation of the equipment at another location except as specified. This Permit To Operate or copy must be posted on or within 25 feet of the equipment, or readily available on the operating premises.

EQUIPMENT OWNER

EQUIPMENT DESCRIPTION

Combined Cycle Cogeneration Gas Turbine: GE LM6000 combustion turbine/generator set, rated at 42.4 MW (404.8 MM BTU/HR HHV), with water injection, fueled with natural gas only, one (1) selective catalytic reduction (SCR) unit including an automatic ammonia injection control system, continuous emission monitoring systems (CEMS), data acquisition and recording systems (DAS); waste heat recovery system including a combined steam turbine/generator set providing a combined total electrical power output of 49.8 MW. EAD8/14/97 NO APP GDS 7/16/98 970889

Every person who owns or operates this equipment is required to comply with the conditions listed below and all applicable requirements and District rules, including but not limited to Rules 10, 20, 40, 50, 51.

Fee Schedules: 1 [92F] NOx and CO Source Test

1 [20F] Non- Aircraft Turbine Engine
1 [92J] CEMS Evaluation (T&M)

1 [92I] Ammonia Source Test

BEC: APCD2017-CON-001310

FAILURE TO OPERATE IN COMPLIANCE IS A MISDEMEANOR SUBJECT TO CIVIL AND CRIMINAL PENALTIES

A. FEDERALLY-ENFORCEABLE AND DISTRICT-ENFORCEABLE CONDITIONS

- 1. The Emission unit shall be fired on Public Utility Commission (PUC) quality natural gas only. The permittee shall maintain on site quarterly records of sulfur content (grains/100 dscf) and higher heating values (Btu/dscf) of the natural gas and provide such records to the District personnel upon request. More frequent records or equivalent documentation from the gas utility may be utilized to satisfy this condition. [Rule 62 and 40 CFR 60 Subpart GG or Subpart KKKK]
- 2. For this Emission Unit, the applicant shall hold allowances in accordance with 40 CFR 72.9(c)(i)



PHONE (858) 586-2600 Fax (858) 586-2601 www.sdapcd.org

Sectors: 2, D

Site ID: APCD1992-SITE-08447 **App ID:** APCD2016-APP-004396

APCD2001-PTO-911504

- 3. Total aggregate emissions from all stationary emission units at this stationary source, except emissions or emission units excluded from the calculation of aggregate potential to emit as specified in Rule 20.1 (d) (1), shall be less than the following limits in each rolling 12-calendar month period. The total aggregate emissions shall include emissions during all times that the equipment is operating, including but not limited to, emissions during periods of startup, shutdown and tuning.
 - i. Oxides of nitrogen (NOx):50 tons/year
 - ii. Carbon monoxide (CO): 100 tons/year [Rules 20.2, 20.3]

[Rules 20.2, 20.3]

- 4. Total exhaust stack emissions of oxides of nitrogen (NOx) shall not exceed a concentration of 5 parts per million by volume (ppmv) measured as nitrogen dioxide (NO2) and corrected to 15% oxygen on a dry basis. The total exhaust stack NOx mass emission rate shall not exceed 8.5 pounds per hour. These limits do not apply during the first 120 minutes immediately following a start-up or for more than one 60-minute period during a shutdown. [Rule 20.2]
- 5. Unless otherwise specified in this permit, the averaging period for demonstrating compliance with the emission limits of this permit using CEMS data shall be one hour. If demonstrating compliance using source testing, the averaging period and methodology shall be as specified in the test method or these conditions as applicable. [Rules 20.2, 69.3.1]
- 6. When operating the combustion turbine, the turbine water injection system water to fuel ratio shall not be less than 0.70 pounds of water to 1.00 pound of fuel. These limits do not apply during the first 120 minutes immediately following a start-up or for more than one 60-minute period during a shutdown. [Rule 20.2]
- 8. The Carbon Monoxide (CO) emissions shall not exceed 25 ppmv corrected to 15% Oxygen on a dry basis.
- At all times, including during start-up and shutdown periods, exhaust emissions shall not exceed any of the following limits:
 - a. Exhaust mass emission rate of 25 pounds NOx, calculated as NO2, per rolling four consecutive whole 15-clock minute period:
 - b. Exhaust concentration of 118 ppmv NOx corrected to 15% Oxygen on a dry basis per rolling four unit operating hour period.
 - Compliance with these limits shall be determined based upon Source Test and/or CEMS data as applicable. [NSPS subpart GG and Rule 20.2]
- 10. Excess emissions are defined as any one-hour period during which the average of NOx, as measured by the CEM system, exceeds the maximum NOx emission limits. Excess emissions indicated by the CEM system will be considered a violation of the emission limit. [Rule 20.2, 69.3.1]
- 11. All NOx and O2 CEMS shall be installed, certified, and maintained pursuant to applicable Federal Regulations including the requirements of Sections 75.10 and 75.12 of Title 40, Code of Federal Regulations Part 75 (40 CFR 75), the performance specifications of Appendix A of 40 CFR 75, the quality assurance procedures of Appendix B of 40 CFR 75 and a CEMS Protocol approved by the District. (Rule 69.3.1 and 40 CFR Part 75)
- 12. A continuous emission monitoring system (CEMS) shall be installed on each combustion turbine and properly maintained and calibrated to measure, calculate, and record the following, in accordance with the District approved CEMS Protocol: a. Clock-hourly average concentration of oxides of nitrogen (NOx) in parts per million by volume on a dry basis (PPMVD), both uncorrected and corrected to 15% oxygen;
 - b. Average concentration of oxides of nitrogen (NOx) in parts per million by volume on a dry basis (PPMVD), both uncorrected and corrected to 15% oxygen during each whole 15-clock minute operating period;
 - c. Average emission rate in pounds per hour of oxides of nitrogen (NOx), calculated as NO2 during each whole 15-clock minute operating period;
 - d. Percent oxygen (O2) in the exhaust gas for each whole 15-clock minute operating period;
 - e. Clock-hourly mass emissions of oxides of nitrogen (NOx), calculated as NO2, in pounds;
 - f. Rolling four-unit operating hour average concentration of oxides of nitrogen (NOx) corrected to 15% oxygen, in parts per million by volume dry on a dry basis (PPMVD) corrected to 15% oxygen;

The CEMS system shall be in operation and measuring and recording these parameters at all times except those periods including calibrations as specified in the CEMS protocol or otherwise approved in writing by the District. [Rules 69.3.1, and 20.2(d)(1) and 40 CFR Part 60 Subpart GG, and 40 CFR Part 75]



PHONE (858) 586-2600 Fax (858) 586-2601 www.sdapcd.org

Sectors: 2, D

Site ID: APCD1992-SITE-08447 **App ID:** APCD2016-APP-004396

APCD2001-PTO-911504

- 13. Each combustion turbine shall be equipped with continuous monitors to measure, calculate, and record unit operating days, hours, and minutes and the following operational characteristics:
 - a. Date and time:
 - b. Natural gas flow rate to the combustion turbine during each whole 15-clock minute operating period, in standard cubic feet per minute;
 - c. Total heat input to the combustion turbine based on the fuel's higher heating value during each whole 15-clock minute operating period, in million British thermal units per hour (MMBtu/hr);
 - d. Gross electrical power output during each whole 15-clock minute operating period in megawatts (MW); and
 - e. Water injection rate in gallons per minute (gpm) or pounds per hour (lbs/hr); or water injection rate to fuel ratio in units of pounds water to pounds fuel.
 - f. Ammonia injection rate measured in pounds per hour.

The monitors shall be designed to collect, and the DAHS designed to record the values of these operational characteristics at least once each whole 15-clock minute operating period. These monitors shall record the values of these operational characteristics at the start of each 15-clock minute operating period except as allowed for conducting calibration and maintenance as specified in the turbine operation monitoring protocol or as otherwise approved in writing by the District. The monitors shall be installed, calibrated, maintained, and operated in accordance with a turbine operation monitoring protocol, which may be part of the CEMS Protocol and which shall include any relevant calculation methodologies, that are approved, in advance, in writing, by the District. The monitors shall be in full operation at all times when the combustion turbine is in operation. Calibration records for the continuous monitors shall be maintained on site and made available to the District upon request. [Rules 69.3.1 and 20.2(d)(1) and 40 CFR Part 60 Subpart GG and 40 CFR Part 75]

- 14. The data acquisition system shall include the display of:
 - a. Natural Gas fuel flow rate in SCFH
 - b. Water injection ratio in lbs of H2O to lbs of fuel.
 - c. Ammonia injection rate in lbs/hr.
 - d. NOx concentration at the exhaust stack in ppmv corrected to 15% Oxygen on a dry basis, and in lbs/hr as NO2. [Rule 20.2, 69.3.1]
- 15. The water flow meters or other means of measuring the rate of water injection and return shall be installed in the combustion turbine water injection system and shall be calibrated and maintained to achieve an accuracy of +/- 5%. [Rule 20.2, 69.3.1]
- 16. Fuel flow meters shall be installed and maintained to measure the fuel flow rate, corrected for temperature and pressure, as applicable, to each combustion turbine. Correction factors and constants shall be maintained on site and made available to the District upon request. The fuel flow meters shall meet the applicable quality assurance requirements of 40 CFR Part 75, Appendix D, Section 2.1.6. [Rules 69.3.1, and 20.2(d)(1) and 40 CFR Part 60 Subpart GG, and 40 CFR Part 75]



PHONE (858) 586-2600 Fax (858) 586-2601 www.sdapcd.org

Sectors: 2, D

Site ID: APCD1992-SITE-08447 **App ID:** APCD2016-APP-004396

PERMIT ID
APCD2001-PTO-911504

- 17. A source test and a NOx and O2 Relative Accuracy Test Audit (RATA) shall be periodically conducted on each combustion turbine to demonstrate compliance with the NOx, CO and ammonia emission standards of this permit and applicable relative accuracy requirements for the CEMS systems using District approved methods. The source test and the NOx and O2 RATAs shall be conducted in accordance with the applicable RATA frequency requirements of 40 CFR 75, Appendix B, Sections 2.3.1 and 2.3.3. The source test shall be conducted in accordance with a source test protocol complying with all of the following requirements:
 - a. Measurements of NOx and CO concentrations and emissions and oxygen (O2) concentration shall be conducted in accordance with U.S. Environmental Protection Agency (EPA) methods 7E, 10, and 3A, respectively, and District source test Method 100, or alternative methods approved by the District and EPA.
 - b. Measurements of ammonia concentrations shall be conducted in accordance with Bay Area Air Quality Management District Method ST-1B or an alternative method approved by the District and EPA.
 - c. Source testing shall be performed at the normal load level, as specified in 40 CFR Part 75 Appendix A Section 6.5.2.1 (d), provided it is not less than 80% of the combustion turbine's rated load unless it is demonstrated to the satisfaction of the District that the combustion turbine cannot operate under these conditions. If the demonstration is accepted, then emissions source testing shall be performed at the highest achievable continuous power level. The District may specify additional testing at different load levels or operational conditions to ensure compliance with the emission and concentration limits of this permit and District Rules and Regulations. [District Rules 69.3.1, 1200, 20.2(d)(1); 40 CFR 60 Subpart GG; 40 CFR Part 75]
- 18. Each source test shall measure the following at the exhaust outlet:
 - a. Exhaust stack flow rate and temperature;
 - b. Exhaust NOx concentration and mass emission rate;
 - c. Exhaust CO concentration and mass emission rate;
 - d. Ammonia concentration and mass emission rate;
 - e. Percent oxygen;

[Rule 20.2, 69.3.1]

- 19. The following data shall be measured and recorded, using permanently installed monitors, during each compliance test required by this permit and included in the source test report:
 - a. Fuel flow rate:
 - b. Turbine water injection system water to fuel ratio;
 - c. Ammonia (injection) flow rate:

[Rule 20.2, 69.3.1]

- 20. When conducting the RATA required by this permit for 40 CFR 75 certification, in addition to the requirements of 40 CFR 75, to demonstrate the accuracy of the CEMS for determining compliance with the emission limits of this permit, the owner or operator shall utilize the following methods and demonstrate compliance with the following requirements: a. Calculate NOx emissions in units of concentration (ppmvd corrected to 15% O2) and mass emission rate (lbs/hr) as described in 40 CFR 60 Appendix F, Procedure 1.
 - b. Demonstrate that relative accuracy determined for the units described in (a) of this permit condition meets the requirements of 40 CFR 60 Appendix B, Performance Specification 2.
 - If the relative accuracy calculated pursuant to this condition does not comply with the limits in (b) of this permit condition, it shall not affect the certification status of the CEMS under the Acid Rain program; however, it shall require corrective action and the CEMS must be re-tested to demonstrate compliance with these requirements within 60 days after the RATA was conducted unless a different period is specified in writing by the District. [Rules 19.2, 69.3, 69.3.1, 20.2(d)]
- 21. Unless otherwise specified in this permit or authorized in writing by the District, within 45 calendar days after completion of a source test or Relative Accuracy Test Audit (RATA) performed by an independent contractor, a final test report shall be submitted to the District for review and approval. [Rules 20.3(d)(1) and 1200 and 40 CFR Part 60 Subpart KKKK, 40 CFR §60.8, and 40 CFR Part 75]



PHONE (858) 586-2600 Fax (858) 586-2601 www.sdapcd.org

Sectors: 2, D

Site ID: APCD1992-SITE-08447 **App ID:** APCD2016-APP-004396

PERMIT ID
APCD2001-PTO-911504

- 22. All source test or other tests required by this permit shall be performed by the District or performed by an independent contractor and witnessed and approved by the District. Unless otherwise specified in this permit or authorized in writing by the District, a proposed test protocol shall be submitted to the District for written approval at least 45 calendar days prior to source testing for all testing performed by an independent contractor. Additionally, the District shall be notified a minimum of 30 calendar days prior to the test so that observers may be present unless otherwise authorized in writing by the District. [Rules 20.2(d)(1) and 1200 and 40 CFR Part 60 Subpart GG and 40 CFR §60.8]
- 23. The following records shall be maintained onsite in a legible form and made available to District upon request: a. all raw data and measurements, including 15-minute (or more frequently recorded) data, recorded by the CEMS and monitoring systems; b. records, including date(s) and time(s) of all adjustments, calibration checks, maintenance, performance and QA testing measurements associated with the CEM system and monitoring device; c. any other records associated with the CEMS or monitoring system specified in the CEMS or monitoring protocols or required by 40 CFR part 75. [Rules 20.2, 69.3.1, 40 CFR Part 75]
- 24. The District shall be notified in writing at least two (2) weeks prior to any changes made in the CEMS software that affect the measurement, calculation or correction of data displayed and/or recorded by the CEMS. (Rule 69.3.1 and 40 CFR Part 75)
- 25. A monitoring plan in conformance with 40 CFR 75.53 shall be submitted to U.S. EPA Region 9 and the District at least 45 days prior to the Relative Accuracy Test Audit test, as required in 40 CFR 75.62. (40 CFR Part 75)
- 26. Any violation of any emission standard as indicated by the CEMS shall be reported to the District's Compliance Division within 96 hours after such occurrence. (CA Health and Safety Code, Division 26, Part 4, Chapter 5 § 42706)
- 27. Monthly and annual records of fuel usage shall be maintained and made available to the District upon request. [NSR]
- 28. All records required by this permit shall be maintained on site for a minimum of five years and made available to the District upon request. [Rule 1421]
- 29. Access, facilities, utilities and any necessary safety equipment for source testing and inspection shall be provided upon request of the Air Pollution Control District. [Rule 19]

B. DISTRICT-ONLY ENFORCEABLE CONDITIONS

- 7. Ammonia emissions from the unit exhaust stack shall not exceed 10 parts per million by volume on a dry basis (ppmvd) corrected to 15% oxygen. Compliance with this limit shall be demonstrated through source testing calculated as the average of three subtests. This limit shall not apply during the first 120 minutes immediately following a start-up or for more than one 60-minute period during a shutdown.
- 30. This Air Pollution Control District Permit does not relieve the holder from obtaining permits or authorizations required by other governmental agencies.
- 31. The permittee shall, upon determination of applicability and written notification by the District, comply with all applicable requirements of the Air Toxics "Hot Spots" Information and Assessment Act [California Health and Safety Code Section 44300 et seq.]

Revision Date: 10/26/2017 Version History# 4 Page 5 of 5

Print Date: Nov 02, 2023 APC050 - Ver: 1.4

APPENDIX B: RULE REFERENCE TABLE

Rule Citation ¹	RULE TITLE	A/R ²	District Adoption Date ³	SIP FR Approval Date
	REGULATION I - GENERAL PROVISIONS			
1	Title	F	04/30/80	09/28/81
2	Definitions	F	7/11/17	11/12/20
4	Review of Rules	F	01/01/70†	09/22/72
5	Authority to Arrest	F		NA
6	Minor Violations	D	03/24/76 [†] 12/15/99	N/A
0	Willion Violations	D	12/13/99	IN/A
	REGULATION II - PERMITS			
10	Permits Required	F	07/25/95	03/11/98
10.1††	NSPS & NESHAPS Requirements	D	11/8/76	N/A
11	Exemptions from Rule 10 Permit Requirements	F	07/08/20	10/28/22
	•	D	10/13/22	Pending
12	Registration of Specified Equipment	D	11/15/00	N/A
12.1	Portable Equipment Registration	D	05/21/97	N/A
14	Applications	F	04/30/80	09/28/81
15	Permit Process - Public Notifications	D	09/18/90	N/A
17	Cancellation of Applications	F	04/06/93	03/11/98
18	Action on Applications	D	09/18/90	N/A
19	Provision of Sampling and Testing Facilities	F	04/06/93	03/11/98
19.1††	NSPS & NESHAPS Provision of Sampling and Testing Facilities Requirements	D	11/08/76	N/A
19.2	Continuous Emission Monitoring Requirements	F	01/12/79	09/28/81
		D	10/12/23	Pending
19.3	Emission Information	F	05/15/96	03/09/00
		D	12/09/21	Pending
20	Standards for Granting Permits	F	04/25/89	10/04/18
20.1	NSR - General Provisions	F	10/14/21	09/28/22
20.2*	NSR - Non-major Stationary Sources	F	06/26/19	09/16/20
20.3*	NSR - Major Stationary Source and PSD Stationary Source	F	10/14/21	09/28/22
20.4*	NSR - Portable Emission Units	F	10/14/21	09/28/22
20.5	Power Plants	F	07/05/79	04/14/81
20.6	Standards for Permit to Operate - Air Quality Analysis	F	04/27/16	10/04/18
20.8	Special Offset Requirement Relating to Banking	D	2/16/83	N/A
21	Permit Conditions	F	11/29/94	03/11/98
22	Denial of Applications	D	01/01/69 [†]	N/A
23	Further Information	D	01/01/69†	N/A
24	Temporary Permit to Operate	F	06/29/16	10/04/18
25	Appeals	F	01/01/69†	09/22/72
25	Appeals	D	06/21/00	N/A

26.0	Banking of Emission Reduction Credits (ERCs) - General Requirements	D	06/26/19	N/A
26.1	Standards for Granting Emission Reduction Credits (ERCs)	D	10/22/97	N/A
26.2	Use of Emission Reduction Credits (ERCs)	D	10/22/97	N/A
26.3	Reclassification of Class B Emission Reduction Credits (ERCs)	D	10/22/97	N/A
26.4	Permanency of Banked Emission Reduction Credits (ERCs)	D	10/22/97	N/A
26.5	Transfer of Emission Reduction Credits (ERCs)	D	10/22/97	N/A
26.6	District Banking of Emission Reduction Credits (ERCs)	D	10/22/97	N/A
26.7	Shutdown and Related Emission Unit	D	10/22/97	N/A
26.8	Banking of Limited Emission Reductions	D	10/22/97	N/A
26.9	Emission Reduction Credit Certificates and The Emission Reduction Credit Register	D	10/22/97	N/A
26.10	Banking For BRAC Military Base Closure or Realignment Actions	D	10/22/97	N/A
27	Banking of Mobile Source Emission Reduction Credits	D	11/29/94	N/A
27.1	Federal Requirements for San Diego County APCD Alternative Mobile Source Emission Reduction Program Approved On 9/8/2000	F	08/06/08	06/03/09
	REGULATIONS III - FEES			
40	Permit Fees	D	01/12/23	N/A
42	Hearing Board Fees	D	04/14/22	N/A
44	Technical Reports, Charges for	D	12/7/83	N/A
45	Federally Mandated Ozone Nonattainment Fees	D	6/9/2022	Pending
	REGULATIONS IV - PROHIBITIONS			
50	Visible Emissions	F	08/13/97	12/7/98
50.1††	NSPS & NESHAPS Visible Emissions Requirements	D	11/08/76	N/A
51	Nuisance	F	01/01/69†	09/22/72
52	Particulate Matter	F	01/22/97	12/9/98
52.1††	NSPS & NESHAPS Particular Matter Requirements	D	11/08/76	N/A
53	Specific Contaminants	F	01/22/97	12/9/98
53.1	Scavenger Plants	F	01/01/69†	09/22/72
53.2††	NSPS & NESHAPS Specific Contaminants Requirements	D	11/08/76	N/A
54	Dusts and Fumes	F	01/22/97	12/9/98
54.1	NSPS & NESHAP Dust and Fumes Requirement	D	11/08/76	N/A
55	Fugitive Dust Control	D	06/24/09	N/A
58	Incinerator Burning	F	01/17/73†	05/11/77
59	Control of Waste Disposal - Site Emissions	D	11/03/87	N/A
59.1	Municipal Solid Waste Landfills	D	06/17/98	N/A
60	Circumvention	F	05/17/94	03/09/00
60.1	Limiting Potential to Emit – Small Sources	D	04/04/12	N/A
60.2	Limiting Potential to Emit - Synthetic Minor Sources	D	04/04/12	N/A
61.0	Definitions Pertaining to the Storage & Handling of Organic Compounds	F	10/16/90	09/13/93
			i contract of the contract of	i e

61.2	Transfer of Volatile Organic Compounds into Mobile Transport Tanks	F	02/10/21	12/16/22
61.3	Transfer of Volatile Organic Compounds into Stationary Storage Tanks	F	10/16/90	06/30/93
61.3.1	Transfer of Gasoline into Stationary Underground Storage Tanks	D	03/01/06	09/03/21
61.4	Transfer of Volatile Organic Compounds into Vehicle Fuel Tanks	F	10/16/90	05/13/93
61.4	Transfer of Volatile Organic Compounds into Vehicle Fuel Tanks	F	03/26/08	01/7/13
61.4.1	Transfer of Gasoline from Stationary Underground Storage Tanks into Vehicles Fuel Tanks	D	03/01/06	N/A
61.5	Visible Emission Standards for Vapor Control Systems	F	09/20/78†	04/14/81
61.6	NSPS Requirements for Storage of Volatile Organic Compounds	D	01/13/87	Withdrawn
61.7	Spillage and Leakage of Volatile Organic Compounds	F	01/13/87	03/11/98
61.8	Certification Requirements for Vapor Control Equipment	F	01/13/87	03/11/98
62	Sulfur Content of Fuels	F	10/21/81	07/06/82
62.1††	NSPS Requirements for Sulfur Content of Fuels	D	11/08/76	N/A
64	Reduction of Animal Matter	F	08/21/81	07/06/82
66.1	Miscellaneous Surface Coating Operations and Other	F	2/24/10	08/09/12
	Processes Emitting VOCs	D	5/11/16	?
67.0.1	Architectural Coatings	F	02/10/21	12/14/22
67.1	Alternative Emission Control Plans	F	05/15/96	03/27/97
67.2	Dry Cleaning Equipment Using Petroleum - Based Solvent	F	05/15/96	03/27/97
67.3	Metal Parts and Products Coating Operations	F	04/09/03	11/14/03
67.4	Metal Container, Metal Closure and Metal Coil Coating Operations	F	11/09/11	09/20/12
67.5	Paper, Film and Fabric Coating Operations	F	05/15/96	03/27/97
67.6.1	Cold Solvent Cleaning and Stripping Operations	F	02/10/21	10/22/21
67.6.2	Vapor Degreasing Operations	F	02/10/21	10/22/21
67.7	Cutback and Emulsified Asphalts	F	05/15/96	03/27/97
67.9	Aerospace Coating Operations	F	04/30/97	08/17/98
67.10	Kelp Processing and Bio-Polymer Manufacturing	F	06/25/97	06/22/98
67.11	Wood Parts and Products Coating Operations	F	06/27/12	04/11/13
67.12.1	Polyester Resin Operations	F	05/11/16	04/02/18
67.15	Pharmaceutical and Cosmetic Manufacturing Operations	F	05/15/96	03/27/97
67.16	Graphic Arts Operations	F	05/09/12	09/20/12
67.17	Storage of Materials Containing Volatile Organic Compounds	F	05/15/96	03/27/97
67.18	Marine Coating Operations	F	05/15/96	03/27/97
67.19	Coating and Printing Inks Manufacturing Operations	F	05/15/96	05/26/00
67.20.1	Motor Vehicle and Mobile Equipment Coating Operations	D	06/30/10	N/A
67.21	Adhesive Material Application Operations	D	11/14/08	N/A
67.22	Expandable Polystyrene Foam Products Manufacturing Operations	D	05/15/96	N/A

67.24	Bakery Ovens	F	05/15/96	03/27/97
68	Fuel-Burning Equipment – Oxides of Nitrogen	F	09/20/94	04/09/96
68.1††	NSPS Requirements for Oxides of Nitrogen from Fuel- Burning Equipment	D	11/08/76	N/A
69	Electrical Generating Steam Boilers, Replacement Units & New Units	D	12/12/95	N/A
69.2	Industrial & Commercial Boilers, Process Heaters & Steam Generators	F	09/27/94	02/09/96
69.2.1	Small Boilers, Process Heaters and Steam Generators	D/F	07/08/20	Pending
69.2.2	Medium Boilers, Process Heaters and Steam Generators	F	09/09/21	8/23/23
69.3**	Stationary Gas Turbine Engines	F	Repealed	06/17/97 (Withdrawal Pending)
69.3.1**	Stationary Gas Turbine Engines – BARCT	D	12/9/21	Pending
69.4**	Stationary Internal Combustion Engines	F	Repealed	01/04/06 (Withdrawal Pending)
69.4.1**	Stationary Internal Combustion Engines - BARCT	D	07/08/20	Pending
69.5.1	Natural Gas-Fired Water Heaters	D	06/24/15	N/A
69.6	Natural Gas-Fired Fan-Type Central Furnaces	D	06/17/98	N/A
69.7	Landfill Gas Flares	D/F	03/09/23	Pending
70	Orchard Heaters	F	01/17/72	09/22/72
71	Abrasive Blasting	F	03/30/77	08/31/78
	REGULATION V - PROCEDURES BEFORE THE HEARING BOARD			
75	Procedure Before the Hearing Board	D	09/17/85	N/A
75.1††	NSPS & NESHAPS Variance Procedures	D	09/17/85	N/A
97	Emergency Variance	D	07/25/95	N/A
98	Breakdown Conditions: Emergency Variance	D	07/25/95	N/A
	REGULATION VI - BURNING CONTROL			
101	Burning Control	F	09/25/02	04/30/03
	REGULATION VII - VALIDITY AND EFFECTIVE DATE			
140	Validity	F	01/01/69†	09/22/72
140				
141	Effective Date	F	01/01/69†	09/22/72
	REGULATION VIII - SAN DIEGO AIR POLLUTION EMERGENCY PLAN	F	01/01/69†	09/22/72
	REGULATION VIII - SAN DIEGO	F	01/01/69 [†] 05/25/77	09/22/72
141	REGULATION VIII - SAN DIEGO AIR POLLUTION EMERGENCY PLAN			
141	REGULATION VIII - SAN DIEGO AIR POLLUTION EMERGENCY PLAN Applicability	F	05/25/77	08/31/78
141 126 127	REGULATION VIII - SAN DIEGO AIR POLLUTION EMERGENCY PLAN Applicability Episode Criteria Levels	F F	05/25/77 09/17/91	08/31/78 03/18/99
141 126 127 128	REGULATION VIII - SAN DIEGO AIR POLLUTION EMERGENCY PLAN Applicability Episode Criteria Levels Episode Declaration	F F F	05/25/77 09/17/91 09/17/91	08/31/78 03/18/99 03/18/99

132	Traffic Abatement Plan	F	05/01/81	06/21/82
		D	12/17/97	N/A
133	Schools	F	05/25/77	08/31/78
134	Source Inspection	F	04/01/81	06/21/82
135	Air Monitoring Stations	F	05/25/77	08/31/78
136	Interdistrict and Interbasin Coordination	F	05/25/77	08/31/78
137	Emergency Action Committee	F	05/25/77	08/31/78
138	Procedures and Plans	F	05/25/77	08/31/78
	APPENDIX A - Persons to be Notified on Episode Declaration	F		
	REGULATION IX - PUBLIC RECORDS		_	
175	General	F	05/22/74†	05/11/77
176	Information Supplied to District	F	05/22/74	05/11/77
177	Inspection of Public Records	F	03/30/77	08/31/78
		D	06/20/01	N/A
	REGULATION XII - TOXIC AIR CONTAMINANTS	-		
1200	Toxic Air Contaminants - New Source Review	D	09/19/23	N/A
1202	Hexavalent Chromium - Cooling Towers	D	07/25/95	N/A
1203	Ethylene Oxide Sterilizers and Aerators	D	07/26/00	N/A
1205	Control of Dioxins Emissions from Medical Waste Incinerators	D	01/01/94	N/A
1206	Asbestos Removal, Renovation, and Demolition	D	11/15/17	N/A
1210	Toxic Air Contaminant Public Health Risks - Public Notification and Risk Reduction	D	09/19/23	N/A

	REGULATION XIV -			
1401	TITLE V OPERATING PERMITS General Provisions	F	10/14/21	02/27/0
1410	Permit Required	F	02/27/04	02/27/0
1411	Exemption from Permit to Operate for Insignificant Units	F	03/07/95	11/30/0
1412	Federal Acid Rain Program Requirements	F	01/18/94	11/30/0
1413	Early Reduction of Hazardous Air Pollutants	F	03/07/95	11/30/0
1414	Applications	F	03/07/95	11/30/0
1415	Permit Process-Public Notification	F	02/27/04	02/27/0
1113		D	10/12/23	Pendin
1417	Pendency & Cancellation of Applications	F	03/07/95	11/30/0
1418	Action on Applications	F	02/27/04	11/30/0
1419	Provisions of Sampling & Testing Facilities & Emission Information	F	03/07/95	11/30/0
1420	Standards for Granting Permits	F	03/07/95	11/30/0
1421	Permit Conditions	F	02/27/04	02/27/0
1422	Denial or Cancellation Of Applications	F	03/07/95	11/30/0
1423	Further Information	F	01/18/94	11/30/0
1424	Applications Deemed Denied	F	01/18/94	11/30/0
1425	Appeals & Judicial Review	F	02/27/04	02/27/0
	APPENDIX A - Insignificant Units	F	02/27/04	11/30/0
	REGULATION XV - FEDERAL CONFORMITY			
1501	Conformity of General Federal Actions	F	06/22/99	04/23/9

The following NSPS and NESHAP have been adopted locally by the District. EPA has granted the District delegation for each of these rules. Therefore, these rules, as adopted by the District are the federally applicable requirements. In addition, if an NSPS or NESHAP is revised by EPA and the revised rule not adopted by the District, both versions of the rule are considered federally applicable requirements and the most stringent requirement applies until such time as the District adopts the revised version.

Subpart &	adopts the revised version.	District	Federal
Citation		Adoption	Delegation
	RULE TITLE	Date(s)	Date
D 4.60	Draw work V. Court and on Draw on New York		A 1
Part 60	REGULATION X - STANDARDS OF PERFORMANCE FOR NEW STATIONARY SOURCES	04/06/2021	As shown below
Λ	General Provisions	04/06/2021	04/08/2021
A D	Standards of Performance for Electric Utility Steam Generating Units	01/29/2020	04/08/2021
D	for Which Construction is Commenced After September 18, 1978	01/2//2020	04/00/2021
Da	Standards of Performance for Industrial-Commercial -Institutional	01/29/2020	04/08/2021
	Steam Generating Units		
Db	Standards of Performance for Small Industrial-Commercial -	01/29/2020	04/08/2021
	Institutional Steam Generating Units		
Dc	Standards of Performance for Electric Utility Steam Generating Units	01/29/2020	04/08/2021
	for Which Construction is Commenced After September 18, 1978	01/00/0000	0.4/00/2021
E	Standards of Performance for Incinerators Standards of Performance for Large Municipal Waste Combustors for	01/29/2020	04/08/2021 01/03/2008
Eb	Which Construction is Commenced After September 20, 1994 or for	06/20/2007	01/03/2008
	Which Modification Or Reconstruction Commenced After June 19,		
	1996		
Ec	Standards of Performance for Hospital/Medical/Infectious Waste	01/29/2020	04/08/2021
	Incinerators		
I	Standards of Performance for Hot Mix Asphalt Facilities	01/29/2020	04/08/2021
J	Standards of Performance for Petroleum Refineries	01/29/2020	04/08/2021
K	Standards of Performance for Storage Vessels for Petroleum Liquids	06/20/2007	01/03/2008
	Construct After June 11, 1973 and Prior to May 19, 1978		
Ka	Standards of Performance for Storage Vessels for Petroleum Liquids	06/20/2007	01/03/2008
171.	Construction after May 18, 1978	0.6/20/2007	01/02/2000
Kb	Standards of Performance for Volatile Organic Liquid Storage Vessels Petroleum Liquid Storage Vessels) for Which Construction,	06/20/2007	01/03/2008
	Reconstruction, or Modification Commenced after July 23, 1984		
L	Standards of Performance for Secondary Lead Smelters	01/29/2020	04/08/2021
M	Standards of Performance for Secondary Brass and Bronze Ingot	01/29/2020	04/08/2021
	Production Plants		
0	Standards of Performance for Sewage Treatment Plants	01/29/2020	04/08/2021
DD	Standards of Performance for Grain Elevators	01/29/2020	04/08/2021
EE	Standards of Performance for Surface Coating Metal Furniture	01/29/2020	04/08/2021
GG	Standards of Performance for Stationary Gas Turbines	01/29/2020	04/08/2021
QQ	Standards of Performance for the Graphic Arts Industry: Publication	01/29/2020	04/08/2021
	Rotogravure Printing	0.1.120.120.20	0.4/0.0/2.0.2.4
RR	Standards of Performance for Pressure Sensitive Tape and Label	01/29/2020	04/08/2021
CC	Surface Coating Operations Standards of Parformance for the Industrial Surface Coating Large	01/20/2020	04/09/2021
SS	Standards of Performance for the Industrial Surface Coating Large Appliances	01/29/2020	04/08/2021
TT	Standards of Performance for Metal Coil Surface Coating	01/29/2020	04/08/2021
AAA	Standards of Performance for New Residential Wood Heaters	04/06/2021	04/08/2021
BBB	Standards of Performance for the Rubber Tire Manufacturing Industry	01/29/2020	04/08/2021

FFF	Standards of Performance for Flexible Vinyl and Urethane Coating and Printing	01/29/2020	04/08/2021
JJJ	Standards of Performance for Petroleum Dry Cleaners	01/29/2020	04/08/2021
000	Standards of Performance for Nonmetallic Mineral Processing Plants	01/29/2020	04/08/2021
UUU	Standards of Performance for Calciners and Dryers in Mineral Industries	01/29/2020	04/08/2021
VVV	Standards for Polymeric Coating of Supporting Substrates Facilities	05/23/2007	01/03/2008
WWW	Standards of Performance for Municipal Solid Waste Landfills	04/06/2021	04/08/2021
AAAA	Standards of Performance for Small Municipal Waste Combustion Units	06/20/2007	01/03/2008
CCCC	Standards of Performance for Commercial and Industrial Solid Waste Incineration Units	04/06/2021	04/08/2021
EEEE	Standards of Performance for Other Solid Waste Incineration Units	01/29/2020	04/08/2021
IIII	Standards of Performance for Stationary Compression Ignition Internal Combustion Engines	04/06/2021	04/08/2021
JJJJ	Standards of Performance for Stationary Spark Ignition Internal Combustion Engines	04/06/2021	04/08/2021
KKKK	Standards of Performance for Stationary Combustion Turbines	04/06/2021	04/08/2021
QQQQ	Standards of Performance for New Residential Hydronic Heaters and Forced-Air Furnaces	04/06/2021	04/08/2021
TTTT	Standards of Performance for Greenhouse Gas Emissions for Electric Generating Units	04/06/2021	04/08/2021
Part 61 REGULATION XI- NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS (NESHAPS)			
A	General Provisions	01/13/87	05/24/82
C	National Emission Standard for Beryllium	Unknown	11/08/76
D	National Emission Standard for Beryllium Rocket Motor Firing	Unknown	11/08/76
Е	National Emission Standard for Mercury	03/27/90	05/17/91
F	National Emission Standard for Vinyl Chloride	08/17/77 06/16/78	11/21/77

The following ATCM and NESHAP have not been adopted by the District, but are being implemented and enforced by the District as ATCM's.

Subpart & Citation	RULE TITLE
	DISTRICT RULES AND REGULATIONS APPENDIX A - CALIFORNIA AIRBORNE TOXIC CONTROL MEASURES (ATCM)
17 CCR	Hexavalent Chromium ATCM for Chrome Plating & Chromic Acid Anodizing Operations
§ 93102	
17 CCR	ATCM For Emissions of Perchloroethylene From Dry Cleaning Operations
§ 93109	
17 CCR § 93101.5	ATCM to Reduce Emissions of Hexavalent Chromium and Nickel from Thermal Spraying
17 CCR	ATCM for Construction, Grading, Quarrying, and Surface Mining Operations
§ 93105	ATEM for Construction, Grading, Quarrying, and Surface Mining Operations
17 CCR	Asbestos ATCM for Surface Applications
§ 93106	The state of the s
17 CCR	ATCM For Emissions of Toxic Metals From Non-Ferrous Metal Melting
§ 93107	6
17 CCR	ATCM for Emissions of Chlorinated Toxic Air Contaminants from Automotive
§ 93111	Maintenance & Repair Activities
17 CCR	ATCM for Emissions of Hexavalent Chromium and Cadmium from Motor Vehicle and
§ 93112	Motor Equipment Coatings
17 CCR	ATCM to Reduce Emissions of Toxic Air Contaminants from Outdoor Residential Waste
§ 93113	Burning
17 CCR	ATCM for Stationary Compression Ignition Engines
§ 93115	
17 CCR § 93116	ATCM for Portable Diesel-Fueled Engines
Part 63	DISTRICT RULES AND REGULATIONS APPENDIX B - NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS (NESHAP) FOR SOURCE CATEGORIES
A	General Provisions
N	Hard and Decorative Chromium Electroplating and Chromium Anodizing Tanks
0	Ethylene Oxide Sterilization Facilities
R	Gasoline Distribution
T	Halogenated Solvent Cleaning
DD	Off-site Waste & Recovery Operations
GG	Aerospace Manufacturing and Rework Facilities
II	Shipbuilding and Ship Repair (Surface Coating)
JJ	Wood Furniture Manufacturing Operations
VVV	Publicly Owned Treatment Works
AAAA	Municipal Solid Waste Landfills
EEEE	Organic Liquids Distribution (non-gasoline)
MMMM	Surface Coating of Miscellaneous Metal Parts and Products
PPPP	Plastic Parts (surface coating)
SSSS	Surface Coating of Metal Coil
VVVV	Boat Manufacturing
WWWW	Reinforced Plastic Composites Production
YYYY	Stationary Combustion Turbines
ZZZZ	Stationary Reciprocating Internal Combustion Engines
DDDDD	Industrial, Commercial, and Institutional Boilers and Process Heaters

GGGGG	Site Remediation
ННННН	Miscellaneous Coating Manufacturing
PPPPP	Engine Test Cells/Stands
WWWWW	Hospital Ethylene Oxide Sterilizers Area Sources
BBBBBB	Gasoline Distribution Bulk Terminals, Bulk Plants, and Pipeline Facilities
CCCCCC	Gasoline Dispensing Facilities
НННННН	Paint Stripping and Miscellaneous Surface Coating Operations at Area Sources
JJJJJJ	Area Sources: Industrial, Commercial, and Institutional Boilers
QQQQQQ	Wood Preserving Area Sources
VVVVV	Chemical Manufacturing Area Sources
WWWWWW	Plating and Polishing Operations Area Sources
XXXXXX	Metal Fabrication and Finishing Area Sources
AAAAAA	Asphalt Processing and Asphalt Roofing Manufacturing Area Sources
CCCCCCC	Paint and Allied Products Manufacture Area Sources

- 1. Rule Citations marked with an "††" contain no substantive requirements and are listed for informational purposes only.
- 2. 'A/R' Denotes enforceability of the listed applicable requirement as follows:
 - 'F' Denotes a Federal applicable requirement that is federally enforceable and District enforceable.
 - 'D/F' Denotes a District applicable requirement which is pending SIP approval. For some rules, there are separate versions denoted as "F" and "D" which indicates when there is a SIP version of the rule, denoted by "F", which is federally enforceable, and an amended version of the rule which has been approved by the District but has not been approved into the SIP. At the time a pending rule is approved into the SIP, it will become fully federally enforceable and replace the previous version of the rule.
 - 'D' Denotes a District only applicable requirement. This may include some state requirements that are enforceable by the District.
- 3. District adoption dates marked with an "†" are the effective date of the rule, the actual adoption date is uncertain.
- 4. For rules 20.2-20.4 as marked with a "*", certain provisions were not submitted to EPA as denoted in the SIP submittals, and these provisions are therefore not federally enforceable
- 5. Rules 69.3 and 69.4 were repealed by the District because the applicable provisions were incorporated into Rules 69.3.1 and 69.4.1 which were submitted to EPA for SIP approval. However, these rules have not been approved due to concerns with startup/shutdown exemptions from emission limits.

APPENDIX C: ABBREVIATIONS THAT MAY APPEAR IN THIS PERMIT

APCO Air Pollution Control Officer

ASTM American Society for Testing and Methods

BACT Best Available Control Technology

CAA federal Clean Air Act

CFR Code of Federal Regulations

CO Carbon Monoxide CO₂ Carbon Dioxide

District San Diego County Air Pollution Control District

EF Emission Factor

EPA US Environmental Protection Agency

HAP Hazardous Air Pollutant
I&M Inspection and Maintenance

NESHAP National Emission Standard for Hazardous Air Pollutants

NSPS New Source Performance Standards

NSR New Source Review

[NSR] New Source Review based condition

NO_x Oxides of nitrogen

O₂ Oxygen

OES Office of Environmental Services
O&M Operation and maintenance

Pb Lead

PM Total Particulate Matter

PM₁₀ Particulate matter with aerodynamic equivalent diameter of \leq 10 microns

PSD Prevention of Significant Deterioration

RMP Risk Management Plan

SDCAPCD San Diego County Air Pollution Control District

SIP State Implementation Plan

SO_x Oxides of sulfur

Title IV Title IV of the federal Clean Air Act
Title V Title V of the federal Clean Air Act

VOC Volatile organic compound

Units of Measure:

dscf = Dry standard cubic foot

g = grams gal = gallon

gr/dscf = Grains per dry standard cubic foot

hr = hour
lb = pound
in = inches
max = maximum
min = minute

MM Btu = Million British thermal units psia = pounds per square inch, absolute

scf = Standard cubic foot

scfm = standard cubic feet per minute

yr = year